



# SAFETY DATA SHEET

## AMACO VELVET UNDERGLAZE COLOURS

### 1. Identification of the preparation

<b>Velvet Underglaze Colours:</b>	V301, V302, V303, V304, V308, V309, V310, V313, V314, V315, V316, V318, V320, V321, V322, V333, V334, V336, V341, V343, V345, V350, V353, V354, V355, V356, V357, V360, V361, V366, V367, V368, V369, V370, V371, V372, V373, V374, V375, V376, V380, V381, V382, V383, V384, V385, V386, V387, V388, V389, V390, V391.
-----------------------------------	---

<b>Chemical name</b>	Mixture of chemical and minerals.
----------------------	-----------------------------------

<b>Synonyms</b>	None
-----------------	------

### 2. Composition

Component	CAS	EINECS	% of composition
Mixture of chemicals			
Water	7732-18-5		
Clay	1332-58-7		
Inorganic stains, carbonates or metal oxides			
Gum	9004-32-4		
Sodium Borosilicate frit	65997-18-4		
No reportable quantities of hazardous ingredients are present.			
Non-hazardous product.			

### 3. Health Hazard Identification

<b>Inhalation</b>	Excessive exposure may cause symptoms of chronic lung disease.
<b>Ingestion</b>	The product is of low solubility in body fluids and it is likely to be of low toxicity.
<b>Eyes</b>	May cause physical irritation and inflammation.
<b>Skin</b>	The material is not a primary irritant, but as with any abrasive powder it may give rise to minor irritation.



#### 4. First Aid Measures

<b>Inhalation</b>	Remove patient to fresh air, loosen tight clothing and seek medical attention.
<b>Ingestion</b>	Do not induce vomiting, seek medical advice.
<b>Eyes</b>	Wash immediately with copious amounts of water.
<b>Skin</b>	The material is not a primary irritant, but as with any abrasive powder it may give rise to minor irritation.

#### 5. Fire Fighting Measures

<b>Extinguishing media</b>	Suitable for surrounding fire conditions.
<b>Special Exposure Hazard</b>	None.
<b>Personal protective equipment</b>	None other than required for surrounding fire conditions.

#### 6. Accidental release measures

<b>Leaks &amp; Spills</b>	Use suitable vacuum equipment where reasonably practicable, otherwise damp down and scoop into receptacle.
<b>Personal protective equipment</b>	Respiratory protective equipment.

#### 7. Handling & Storage

<b>Handling</b>	Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly after handling the material.
<b>Storage</b>	Store in a dry area.

#### 8. Exposure Control/Personal protective equipment

<b>Engineering controls</b>	Adequate ventilation should be provided so that Occupational Exposure Limits are not exceeded. Local Exhaust Ventilation is normally recommended.
<b>Personal protective equipment</b>	Where LEV is not practicable and exposure is likely to be excessive, approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls are recommended for prolonged contact.



## 9. Physical & Chemical properties

<b>Appearance &amp; Odour</b>	Coloured viscous liquid, odourless.
<b>Flash Point (°C)</b>	Not applicable
<b>Flammability</b>	Not applicable
<b>Explosive properties</b>	Non-explosive
<b>Oxidising properties</b>	None
<b>Specific gravity</b>	2-4
<b>pH value</b>	7 (insoluble in water)
<b>Melting point (°C)</b>	Not available

## 10. Stability & Reactivity

<b>Chemical stability</b>	The material is stable
<b>Conditions/materials to avoid</b>	None known
<b>Hazardous decomposition products</b>	None known
<b>Hazardous polymerization products</b>	None

## 11. Toxicological Information

<b>Acute Toxicity</b>	LD50	Oral	>2000mg/kg
	LD50	Dermal	Not known
	LD50	Inhalation	Not known
<b>Health effects</b>	Prolonged or repeated exposure above Occupational Exposure Standards may cause fibrosis of the lung.		

## 12. Ecological Information

<b>Ecotoxicity</b>	Not known
<b>Persistence</b>	The product is chemically stable and will persist in the environment.

## 13. Disposal

Dispose in accordance with current waste disposal regulations (for UK – Control of Pollution {Special Waste} Regulations 1980). Landfill is the most appropriate method.

## 14. Transport Information

<b>UN/SI No.</b>	Not restricted
<b>UN Class</b>	Not restricted
<b>Packing Group</b>	Not restricted



<b>Road</b>	UK	Not restricted
	ADR	Not restricted
<b>Sea</b>	IMO	Not restricted
<b>Air</b>	ICAO	Not restricted

## 15. Regulatory Information

<b>EC Supply Labelling</b>	Non hazardous	
<b>R Phrases</b>	None	
<b>S Phrases</b>	Optional for dusty powders, which may occur when product dries out	
	S20/21	When using do not eat, drink or smoke.
	S38	In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational exposures limits (refer to HSE Guidance note EH40)	Mg/m <sup>3</sup>	8 hr TWA	% in product
Dusts – total inhalable		10	-
Dusts – total respirable		5	-

In accordance with HSE Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

## 16. Other Information

<b>References</b>	
<b>COSHH ACOP</b>	HSC approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994.
<b>CHIP 96</b>	Chemicals (Hazardous Information and Packaging for Supply) Regulations 1996.
<b>CHIP SDS ACOPS</b>	HSC Approved Code of Practice for Safety data sheets in accordance with regulation 6 of the CHIP regulations.
<b>HSE EH40</b>	HSE Guidance note EH40 on Occupational Exposure Limits to be used in conjunction with the COSHH regulations.
<b>Footnote</b>	
<b>Liability</b>	Such information is the best of Clayman Supplies



	Limited's knowledge and belief accurate at the date of publication, which is the date generated automatically on the day of printing of this document. However, no representation, warranty of guarantee is made as to its accuracy, reliability of completeness. It is the user's responsibility to satisfy itself as to the suitability and completeness of such information for their own particular use.
<b>Third Party Materials</b>	Insofar as materials not manufactured or supplied by Clayman Supplies Limited are used in conjunction with, or instead of Clayman Supplies Limited materials, it is the responsibility of the customer itself to obtain from the manufacturer or supplier all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of Clayman Supplies Limited materials in conjunctions with other materials.

## 17. National Legislation

### UK Legislation

SI1993/1746 Chemicals (Hazard Information and Packaging) Regulations 1993

Environmental Protection (Duty of Care) regulations 1992 SI 2829

Carriage of Dangerous Goods by Road and Rail Regulations 1994

Control of Pollution Act 1974

Environmental Protection Act 1990

Highly Flammable Liquids and Petroleum Spirit Regulations 1972

EH40 Occupational Exposure Limits

SI1988/1657 The Control of Substances Hazardous to Health Regulations

Note – This is not an exhaustive list and users should satisfy themselves that they comply with all relevant National Regulations.